

Deposition Rates for metals

Metal	Forward Power(RF) in Watts	Deposition / min.
Au	80W	50nm
Cr	150W	10nm
Pt	100W	27nm
	20W	4nm
Ti	150W	3.5nm
	200W	5.5nm
Cu	150W	10nm
Ag	100W	45nm
Ir	100W	5min- 110nm
	40W	5min- 40nm
	20W	15min- 45nm